Author Index

Abouchacra KS, 422
Alexander GC, 1
Amlani AM, 151
Arick D, 496
Arlinger S, 198

Bates D, 549
Bellis TJ, 319
Bingea B, 133
Birtles G, 67
Bradlow AR, 304
Branch WE, 355
Brown E, 190
Brown S, 535

Charette L, 124
Chermak GD, 289
Chmiel R, 521
Cord MT, 489
Corley VM, 484
Cox RM, 1
Crabbe LS, 484
Craig JM, 429
Cruickshanks KJ, 173

Dalebout SD, 388
Decker TN, 371
Dennis JM, 231, 467
Dhar S, 180
Dillon H, 67
Dobie RA, 63

Eisenberg LS, 113
Elberling C, 248
Elisevich K, 211
Ellingson RM, 502

Fausti SA, 502
Ferraro JA, 160
Ferre JM, 319
Flick CL, 502

Gagné J-P, 46
Garrus NP, 489
Gatehouse S, 80
Getty L, 46
Gilbert A, 502
Gray G, 1, 355

Hall JW III, 289
Hanlin RCR, 231, 467
Hay-McCutcheon M, 113
Henry JA, 261, 502
Hickson L, 549
Hull RH, 285
Humes LE, 26
Hurley RM, 529

Jacobson GP, 211
Jerger J, 521

Kam ACS, 445
Kei J, 436
Kelly T, 124
Kent M, 521
King SB, 231, 467
Kirk KI, 113
Klein AJ, 190
Koch DB, 304
Kolb JA, 489
Kollofski C, 535
Kraus N, 304
Kryter KD, 64
Kuk FK, 458, 535

Larsby B, 198
Lee WW, 124
Letowski T, 422
Levitt H, 411
Lovegrove R, 67
Ludvigsen C, 458

Martinez AS, 113
McCaslin DL, 211
McDuff S, 46
McGee TJ, 304
McPherson B, 436
McPherson DL, 379
Meikle MB, 261
Melum A, 535
Mishler P, 211
Murphy E, 521
Musiek E, 124
Musiek F, 124, 289, 329

Navarro R, 166
Nicholas S, 436
Noble W, 104
Nondahl DM, 173

Park DL, 160
Phillips DP, 343
Potts LG, 133
Preves DA, 273

Ricketts T, 180
Rosenthal A, 535

Salamat MT, 379
Sammeth CA, 273
Schum DJ, 40
Silman S, 496
Smith B, 211
Smith LZ, 411
Snydee KA, 190
Stack JW, 388
Stelmachowicz PG, 14
Stillman RD, 400
Stoppenbach DT, 429
Strouse A, 219, 557
Studebaker GA, 355
Surr RK, 489
Sweetow R, 133

Thyer N, 549
Timpe-Syverson GK, 371
Tonini R, 521
Tweed TS, 173

Valente M, 133
Van Campen LE, 231, 467
Velderman AM, 231, 467

Wiley TL, 173, 429
Wilson RH, 219, 429, 557
Wong LLN, 445
Woodyatt G, 436
Wynne MK, 273

Yellin MW, 400

Subject Index

Abbreviated Profile of Hearing Aid Benefit (APHAB), 1-12, 18, 27, 273-283, 489-495
ABR. *See* Auditory brainstem response
AC. *See* Air conduction
Acoustic analysis, 549-555
Acoustic differences, 388-398
Acoustic-phonetic approach, 304-315
Acoustic trauma, 231-247
ADHD. *See* Attention deficit hyperactivity disorder
AEP. *See* Auditory evoked potential
AERP. *See* Auditory event-related potential
Affricates, 306-308
Aging, 173-179
Air conduction (AC), 422-428
AME. *See* Auditory memory enhancement
Amplification
  binaural, 529-534
  linear, 445-456
  monaural, 529-534
  two-channel compression, 549-555
Analog hearing aids, 133-146
Anechoic chamber, 185, 186
Antidepressants, 166-169
Anxiety, 4
APHAB. *See* Abbreviated Profile of Hearing Aid Benefit
Attention, 371-377
Attention deficit hyperactivity disorder (ADHD), 289-299
Audiologists, 285-287

Author Index

Abouchacra KS, 422
Alexander GC, 1
Amlani AM, 151
Arick D, 496
Arlinger S, 198

Bates D, 549
Bellis TJ, 319
Bingea B, 133
Birtles G, 67
Bradlow AR, 304
Branch WE, 355
Brown E, 190
Brown S, 535

Charette L, 124
Chermak GD, 289
Chmiel R, 521
Cord MT, 489
Corley VM, 484
Cox RM, 1
Crabbe LS, 484
Craig JM, 429
Cruickshanks KJ, 173

Dalebout SD, 388
Decker TN, 371
Dennis JM, 231, 467
Dhar S, 180
Dillon H, 67
Dobie RA, 63

Eisenberg LS, 113
Elberling C, 248
Elisevich K, 211
Ellingson RM, 502

Fausti SA, 502
Ferraro JA, 160
Ferre JM, 319
Flick CL, 502

Gagné J-P, 46
Garrus NP, 489
Gatehouse S, 80
Getty L, 46
Gilbert A, 502
Gray G, 1, 355

Hall JW III, 289
Hanlin RCR, 231, 467
Hay-McCutcheon M, 113
Henry JA, 261, 502
Hickson L, 549
Hull RH, 285
Humes LE, 26
Hurley RM, 529

Jacobson GP, 211
Jerger J, 521

Kam ACS, 445
Kei J, 436
Kelly T, 124
Kent M, 521
King SB, 231, 467
Kirk KI, 113
Klein AJ, 190
Koch DB, 304
Kolb JA, 489
Kollofski C, 535
Kraus N, 304
Kryter KD, 64
Kuk FK, 458, 535

Larsby B, 198
Lee WW, 124
Letowski T, 422
Levitt H, 411
Lovegrove R, 67
Ludvigsen C, 458

Martinez AS, 113
McCaslin DL, 211
McDuff S, 46
McGee TJ, 304
McPherson B, 436
McPherson DL, 379
Meikle MB, 261
Melum A, 535
Mishler P, 211
Murphy E, 521
Musiek E, 124
Musiek F, 124, 289, 329

Navarro R, 166
Nicholas S, 436
Noble W, 104
Nondahl DM, 173

Park DL, 160
Phillips DP, 343
Potts LG, 133
Preves DA, 273

Ricketts T, 180
Rosenthal A, 535

Salamat MT, 379
Sammeth CA, 273
Schum DJ, 40
Silman S, 496
Smith B, 211
Smith LZ, 411
Snydee KA, 190
Stack JW, 388
Stelmachowicz PG, 14
Stillman RD, 400
Stoppenbach DT, 429
Strouse A, 219, 557
Studebaker GA, 355
Surr RK, 489
Sweetow R, 133

Thyer N, 549
Timpe-Syverson GK, 371
Tonini R, 521
Tweed TS, 173

Valente M, 133
Van Campen LE, 231, 467
Velderman AM, 231, 467

Wiley TL, 173, 429
Wilson RH, 219, 429, 557
Wong LLN, 445
Woodyatt G, 436
Wynne MK, 273

Yellin MW, 400

Subject Index

Abbreviated Profile of Hearing Aid Benefit (APHAB), 1-12, 18, 27, 273-283, 489-495
ABR. *See* Auditory brainstem response
AC. *See* Air conduction
Acoustic analysis, 549-555
Acoustic differences, 388-398
Acoustic-phonetic approach, 304-315
Acoustic trauma, 231-247
ADHD. *See* Attention deficit hyperactivity disorder
AEP. *See* Auditory evoked potential
AERP. *See* Auditory event-related potential
Affricates, 306-308
Aging, 173-179
Air conduction (AC), 422-428
AME. *See* Auditory memory enhancement
Amplification
  binaural, 529-534
  linear, 445-456
  monaural, 529-534
  two-channel compression, 549-555
Analog hearing aids, 133-146
Anechoic chamber, 185, 186
Antidepressants, 166-169
Anxiety, 4
APHAB. *See* Abbreviated Profile of Hearing Aid Benefit
Attention, 371-377
Attention deficit hyperactivity disorder (ADHD), 289-299
Audiologists, 285-287

Auditory blast injury, 231-247, 467-479
Auditory brainstem response (ABR)
in children, 484-487
and hearing aids, 190-197
and middle latency response, 124-131
Auditory cortex, 309-312
Auditory deprivation, 529-534
Auditory event-related potential (AERP), 379-385, 521-528
Auditory evoked potential (AEP), 211-217, 388-398
Auditory gap detection, 343-352
Auditory memory enhancement (AME), 333-336
Auditory neuropathy, 484-487
Auditory training, 336-340

Bandwidth, 422-428
BC. *See* Bone conduction
Behind-the-ear (BTE) hearing aids, 109, 133-146, 273-283, 535-548, 550-551
Between-channel gap detection, 346-350
Binaural amplification, 529-534
Binaural interaction tests, 321
Blast injury, 231-247, 467-479
Bone conduction (BC), 422-428
Brainstem, 309
See also Auditory brainstem response
BTE. *See* Behind-the-ear (BTE) hearing aids

CAPD. *See* Central auditory processing disorder
CDP. *See* Computerized dynamic posturography
Central auditory processing disorder (CAPD)
and attention deficit hyperactivity disorder, 289-299
children with, 289-299, 319-341, 484-487, 521-528
management of, 329-341
in one dizygotic twin, 521-528
Central nervous system (CNS), 124-131
CHILDES. *See* Child Language Data Exchange System
Child Language Data Exchange System (CHILDES), 113-121
Children
with attention deficit hyperactivity disorder, 289-299
with central auditory processing disorder, 289-299, 319-341, 484-487, 521-528
hearing aids in, 14-23, 66, 535-548
hearing loss in, 411-421
mitochondrial disorder in, 484-487
speech recognition in, 22, 411-421
CIC. *See* Completely-in-the-canal (CIC) aids
Client-Oriented Scale of Improvement (COSI), 19, 28, 45, 67-79
CNS. *See* Central nervous system
Cochlear implants, 108-109
Completely-in-the-canal (CIC) aids, 133-146
Compression
multichannel, 458-465, 549-555
thresholds, 458-465, 535-548
wide dynamic range, 445-456, 535-548
Computerized dynamic posturography (CDP), 467-479
Conduction, 422-428
Connected Speech Test (CST), 33, 35-36
Consonant
enhancement, 411-421
vowel ratio, 549-555
Continuous performance task (CPT), 379-385
Continuous tinnitus, 261-271
Contralateral speech, 371-377
Cortex, 309-312
COSI. *See* Client-Oriented Scale of Improvement
CPT. *See* Continuous performance task
CST. *See* Connected Speech Test

Deafness. *See* Hearing loss
Department of Veterans Affairs auditory discs, 429-434, 557-570
Depression, 166-169
Dichotic digit recognition, 219-227, 557-570
Dichotic listening, 320-321, 521-528, 557-570
Digital hearing aids, 133-146, 535-548
Directional hearing aids, 133-146, 180-181, 273-283, 535-548
Distortion-product otoacoustic emissions (DPOAEs)
attention effects on, 371-377
contralateral speech and, 371-377
menstrual cycle and, 400-406
probabilistic detection of, 332-340
Dizygotic twins, 521-528
Dizziness, 467-479, 481
DPOAEs. *See* Distortion-product otoacoustic emissions
Dynamic posturography, 467-479

ECochG. *See* Electrocochleography
Electroacoustics, 190-197
Electrocochleography (ECochG), 160-165
Electronystagmography (ENG), 467-479
ENG. *See* Electronystagmography
ERP. *See* Event-related potential
Eustachian tube, 496-501
Event-related potential (ERP), 379-385, 521-528
Extroversion, 4-5

Factor analysis, 29-38
FIF. *See* Frequency importance function
Filtered sound effects, 422-428
Frequency importance function (FIF), 355-369
Fricatives, 306-308

Gamma band response (GBR), 211-217
Gap detection, 343-352
GBR. *See* Gamma band response
GHABP. *See* Glasgow Hearing Aid Benefit Profile

Glasgow Hearing Aid Benefit Profile (GHABP), 80-103
Glides, 306

Habituation, 211-217
HANA. *See* Hearing Aid Needs Assessment
HAPI. *See* Hearing Aid Performance Inventory
HAUQ. *See* Hearing Aid User's Questionnaire
HDABI. *See* Hearing Disability and Aid Benefit Interview
Hearing Aid Needs Assessment (HANA), 40-45
Hearing Aid Performance Inventory (HAPI), 28, 33-38, 40-45
Hearing aids
  amplification, 529-534
  analog, 133-146
  auditory brainstem response and, 190-197
  behind-the-ear, 109, 133-146, 273-283, 535-548, 550-551
  benefit from, 40-45, 80-103, 489-495
  in children, 14-23, 66, 535-548
  completely-in-the-canal, 133-146
  digital, 133-146, 535-548
  directional, 133-146, 180-181, 273-283, 535-548
  fitting nonlinear, 458-465
  in-the-ear, 109, 133-146, 273-283
  and loudness scaling, 248-259
  multichannel compression, 458-465, 549-555
  omnidirectional, 133-146, 273-283
  outcome measures, 14-23, 26-38, 46-60, 66-110
  personality and subjective assessment of, 1-12
Hearing Aid User's Questionnaire (HAUQ), 67-79
Hearing Disability and Aid Benefit Interview (HDABI), 83-103
Hearing handicap, 63-65
Hearing Handicap Inventory for the Elderly (HHIE), 27, 36, 107-108
Hearing in Noise Test (HINT), 180-188, 273-283
Hearing loss
  in audiologists, 285-287
  in children, 411-421
  desensitization, 358-359
  noise-induced, 231-247
  sensorineural, 198-209, 529-534
  See also Hearing aids
Hearing Performance Inventory for Children (HPIC), 18
HHIE. *See* Hearing Handicap Inventory for the Elderly
HINT. *See* Hearing in Noise Test
HPIC. *See* Hearing Performance Inventory for Children

IIF. *See* Intensity importance function
Infection control, 151-159
Intensity importance function (IIF), 355-369
In-the-ear (ITE) hearing aids, 109, 133-146, 273-283
Introversion, 4-5
ISIs. *See* Variable interstimulus intervals
ITE. *See* In-the-ear (ITE) hearing aids

Lexical Neighborhood Test (LNT), 113-121, 123, 170
LIFE. *See* Listening Inventory for Education
Linear amplification, 445-456
Liquids (sonorants), 306
Listening, 320-321, 521-528, 557-570
Listening Inventory for Education (LIFE), 535-548
LNT. *See* Lexical Neighborhood Test
Loudness
  measures, 21, 463-464
  scaling, 248-259
  tinnitus, 261-271, 502-518

Memory enhancement, 333-336
Menstrual cycle, 400-406
Microphone, directional, 133-146
Middle ear resonance, 173-179
Middle latency response (MLR), 124-131
Mismatch negativity (MMN), 388-398
Mitochondrial disorder, 484-487
MLNT. *See* Multisyllabic Lexical Neighborhood Test
MLR. *See* Middle latency response
MMN. *See* Mismatch negativity
Monaural amplification, 529-534
Monaural low-redundancy speech tests, 321
Multichannel hearing aids, 458-465, 549-555
Multisyllabic Lexical Neighborhood Test (MLNT), 113-121, 123, 170

Nasals, 306
Neural processes, 304-315
Neuropathy, 484-487
Noise, 273-283, 445-456
N_1 response, 211-217
Nonsense Syllable Test (NST), 180-188
Northwestern University Auditory Test No. 6, 429-434, 529-534
NST. *See* Nonsense Syllable Test

OAEs. *See* Otoacoustic emissions
Octave bandwidth, 422-428
Oklahoma City bombing, 231-247, 467-479
Omnidirectional hearing aids, 133-146, 273-283
Otoacoustic emissions (OAEs)
  menstrual cycle and, 400-406
  in Rett syndrome, 436-443
  transient evoked, 400-406
  See also Distortion-product otoacoustic emissions
Oxidative phosphorylation (OXPHOR), 484-487
OXPHOR. *See* Oxidative phosphorylation

PB-K. *See* Phonetically Balanced Kindergarten word lists
Pediatrics. *See* Children
Perceived needs, 40-45
Perceptual channels, 343-352
Personality, 1-12
PHAB. *See* Profile of Hearing Aid Benefit
Phonetically Balanced Kindergarten word lists (PB-K), 113-121
Phonetics, 304-315
Politzeration, 496-501

Posturography, 467-479, 481-483
Profile of Hearing Aid Benefit (PHAB), 27
Prosodic training, 337-338
P_{300} response, 379-385, 388-398
Pulsed tinnitus, 261-271
Pure tones, 422-428, 529-534

Reading, 339
Real-ear aided response (REAR), 27
REAR. *See* Real-ear aided response
Receiver operating characteristics (ROC), 124-131
Rehabilitation, 46-60, 67-79
Resonance, 173-179
Rett syndrome, 436-443
ROC. *See* Receiver operating characteristics

Self-assessment, 104-110
Sensorineural hearing loss (SNHL), 198-209, 529-534
Serotonin, 166-169
Sertraline hydrochloride, 166-169
Signal-to-noise ratio (SNR), 133-146, 180-188, 273-283, 535-548
SII. *See* Speech Intelligibility Index
SNHL. *See* Sensorineural hearing loss
SNR. *See* Signal-to-noise ratio
Sound effects, 422-428
Spectral resolution, 198-209
Speech
  acoustic analysis of, 549-555
  audibility of, 20-21
  contralateral, 371-377
  level desensitization, 358-359
  monaural low-redundancy, 321
  perception, 304-315, 343-352, 529-534, 557-570
  See also Speech recognition
Speech Intelligibility Index (SII), 86-92
Speech Perception in Noise (SPIN), 133-146
Speech recognition
  by children, 22, 411-421
  consonant enhancement and, 411-421
  in noise, 273-283, 450-455
  tests, 22, 182-183, 355-369, 445-456, 529-534
  thresholds, 445-456
Speech Test Evaluation and Presentation System (STEPS), 355-369
SPIN. *See* Speech Perception in Noise
STEPS. *See* Speech Test Evaluation and Presentation System
Stimulus length, 219-227
Stops, 306-308

Temporal patterning tests, 321
Temporal resolution, 198-209, 343-352
TEOAEs. *See* Transient evoked otoacoustic emissions
Thalamus, 309
THI. *See* Tinnitus Handicap Inventory
Tinnitus
  loudness, 261-271, 502-518
  Zoloft-induced unilateral, 166-169
Tinnitus Handicap Inventory (THI), 489-495
Token Test for Children (TTC), 521-528
Tone pips, 190-197
Tones, 422-428, 529-534
Transient evoked otoacoustic emissions (TEOAEs), 400-406
TTC. *See* Token Test for Children
Twins, 521-528
Tympanic electrocochleography, 160-165
Tympanometry, 173-179, 496-501

Valsalva maneuver, 496-501
Variable interstimulus intervals (ISIs), 379-385
Vestibular system, 467-479
Vocabulary, 330-333
Voice onset time (VOT), 346-348
VOT. *See* Voice onset time
Vowels
  consonant ratio, 411-421, 549-555
  perception, 306
  training, 337

WDRC. *See* Wide dynamic range compression
Wide dynamic range compression (WDRC), 445-456, 535-548
Word recognition
  Northwestern University Auditory Test, 429-434
  scores, 529-534

Zoloft, 166-169